

# Alston & Bird LLP

Bank of America Plaza  
101 South Tryon Street, Suite 4000  
Charlotte, NC 28280-4000  
(704) 444-1000  
Fax (704) 444-1111

May 16, 2007

Certificate of Correction Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Re: United States Patent for *Chemically Resistant Radiation Attenuation Barrier*  
Application No. 10/816,398; Filed April 1, 2004  
Patent No. 7,196,023; Issued March 27, 2007  
Our File 045221/275977


---

Sir:

It is respectfully requested that a Certificate of Correction be issued for the above-identified patent, in accordance with 37 C.F.R. §1.322. This request is made in order to correct the mistakes incurred through the fault of the United States Patent and Trademark Office ("USPTO").

The mistakes appearing in the patent are set forth on the Certificate of Correction e-filed herewith.

Respectfully submitted,



Raymond O. Linker, Jr.  
Registration No. 26,419

ROL:mf  
Enclosures

LEGAL02/30370338v1

**UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION**

PATENT NO. : 7,196,023 B2

Page 1 of 1

APPLICATION NO. : 10/816,398

ISSUE DATE : March 27, 2007

INVENTOR(S) : Langley et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 13,

Line 22, "rediation" should read --radiation--;

Lines 24 and 25, "polumer" should read --polymer--;

Line 50, "if" should read --is--.

Column 14,

Line 14, "outter" should read --outer--;

Line 31, "wherin" should read --wherein--.

MAILING ADDRESS OF SENDER

ALSTON & BIRD LLP  
Bank of America Plaza  
101 South Tryon Street, Suite 4000  
Charlotte, NC 28280-4000  
Tel Charlotte Office (704) 444-1000